GOVT. COLLEGE OF ENGINEERING AND RESEARCH, AWASARI

Awasari(Khurd) Tal: Ambegaon, Dist.Pune-412 405

Tel. No.02133-225900 FAX No. 02133-230583

E-Mail – gcoeara@gmail.com Webesite: www.gcoeara.ac.in

No. GCOEARA/Store/2017-18/ 293 0

Date:

22 AUG 2017

To,

HOD- Computer Engineering for display on College Website

Subject : Quotation for supply Equipments (for Mechanical Engineering)

Please send your quotation for the following items on the terms and conditions listed below, mentioning our reference letter number, date and due date of quotation on your sealed envelop, on or before **04.09.2017** at 4.00 P.M.

C. N.			
Sr.No.	Specification	Qty.	Unit
1	Tail Stock Assemble, light duty	1	No.
2	PRV valve assembly, (size mm): 40mm Dia., type of product: forged		
	pressure relief valves, material: brass	1	No.
3	Sluice valve assemble, size: 50mm, end connection: flanged, body	1	No.
	material:cast iron		
4	Steam stop valve assembly, size 50mm end connection flanged, body	1	No.
	material-Cast Steel		
5	Hydraulic Actuator, 40mm diameter, 100mm stroke	1	No.
	IC Engine of Two Wheeler (4 stroke single cylinder), four stroke single		
	cylinder, Old reconditioned petrol engine, mounted on a sturdy MS frame	1	No.
	with duly powder coated		
7	Hermetically sealed compressor, cut section model of hermetically sealed	1	No.
	compressor, with different color painting		
	Industrial Gear Box: Type- Worm and worm wheel gearbox, mounted on a	1	No.
	sturdy MS stand with duly powder coated		
9	Rubber table mat (12 sqft)	1	No.
		-	140.

Terms & Conditions

- 1 Taxes Inclusive / if extra clearly mention the percentage.
- 2 Delivery period -
- 3 Payment Terms –
- 4 Quotation Validity –
- Mention clearly

- 5 Warranty -
- 6 Guaranty-
- 7 Delivery Charges Free / if extra mention clearly.
- 8 The part supply and its bill will strictly not be entertained.
- 9 If you fail to supply the stores within the specified period, the order will be treated at cancelled without any information.
- 10 The material will be accepted subject at approval(after inspection of the material), If rejected it will be returned to you at your cost.
- 11 The material to be supplied should be strictly according to the specification only.
- 12 Octroi is not applicable since Institute is located in Gram Panychayat area.
- Please attach copy of your shop registration certificate alongwith your quotation, without which your quotation will not be accepted.

f(Dr. A. S. Pant)

Principal

Govt.College of Engineering & Research Awasari
Awasari(khurd)