GOVT. COLLEGE OF ENGINEERING AND RESEARCH, AWASARI

Awasari(Khurd) Tal: Ambegaon, Dist.Pune-412 405

Tel. No.02133-230582 FAX No. 02133-230583

E-Mail – gcoeara@gmail.com Webesite : www.gcoeara.ac.in

No. GCOEARA/Store/2016-17/ 386

Date:

02 MAY 2016

To,

HOD- Computer Engineering for display on College Website

Subject : Quotation for supply of Chemical & Glassware (for Applied Science- Chemisty Lab.)

Please send your quotation for the following items on the terms and conditions listed below, mentioning our reference letter number, date and due date of quotation on your sealed envelop, on or before **13.05.2016** at 5.00 pm.

Sr.No.	Specification	Qty.	Unit
1	EDTA powder (Ethylene Diamine Tera Acetic Acid) (Cas. No. 6361-92-6)	1	Kg.
2	Glacial Acetic Acid (Cas. No. 64-19-7)	4	Ltr.
3	Ammonia Buffer solution	2.5	Ltr.
4	Ammonia chloride (Cas. No. 12125-02-9)	0.500	Kg.
5	Acetone A.R. (Cas. No. 67-64-1)	2.5	Ltr.
6	Urea crystal (Cas. No. 57-13-6)	0.5	
7	Phenol Liquid (Cas. 108-95-2)	0.5	Kg. Ltr.
8	Copper Metal plate, size - 2" x 5"	6	No.
9	Cuvettes Spectrophotometer visible- Single beam, 1 pair, quartz	1	Set
10	Pipetting bulb	6	
11	Dropper with rubber teat	12	No.
12	Ostward's viscometer borosilicates	6	No.
10 11 14 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Glass ware cleaning brush (Size small & large)		No.
	Reagent bottle 5 liter (Glass)	4	No.
		3	No.

Terms & Conditons

- 1 Taxes Inclusive / if extra clearly mention the percentage.
- 2 Delivery period –
- 3 Payment Terms –
 4 Quotation Validity –
- Mention clearly
- 5 Warranty -
- 6 Guaranty-
- 7 Delivery Charges Free / if extra mention clearly.
- 8 The part supply and its bill will strictly not be entertained.
- 9 If you fail to supply the stores within the specified period, the order will be treated at cancelled without any information.
- 10 The material will be accepted subject at approval(after inspection of the material), If rejected it will be returned to you at your cost.
- 11 The material to be supplied should be strictly according to the specification only.
- 12 Octroi is not applicable since Institute is located in Gram Panychayat area.
- 13 Please attach copy of your shop registration certificate alongwith your quotation, without which your quotation will not be accepted.

(Prof. S.V. Joshi) I/c Principal Govt.College of Engineering & Research Awasari Awasari(khurd)